



(주) 세종이앤알

가구,비품 렌탈 카다로그

www.sejongenr.com

TEL : 031) 916-3330

FAX : 031) 918-8615

MAIL : ace@sejongenr.com

ADDRESS : 경기도 고양시 일산서구 킨텍스로 217-59, 제2킨텍스 오피스동 201호



SC-01 (접이식 의자)
금액 : ₩10,000



SC-02 (PB 의자)
금액 : ₩10,000



SC-03 (클래식 디자인 의자)
금액 : ₩15,000



SC-04 (땅콩 의자)
금액 : ₩15,000 (Wh,Bk)



SC-05 (파워 의자)
금액 : ₩25,000 (Wh,Bk)



SC-06 (알루미늄 의자)
금액 : ₩20,000



SC-07 (시스카 의자)
금액 : ₩25,000



SC-08 (클래식 시스카 의자)
금액 : ₩35,000



SC-09 (에펠 의자)
금액 : ₩40,000



SC-10(A) (에어 바스틀(A))
금액 : ₩25,000



SC-10(B) (에어 바스틀(B))
금액 : ₩25,000 (Wh,Bk)



SC-11 (사각 스툴)
금액 : ₩30,000 (Wh,Bk)



SC-12 (바스틀)
금액 : ₩15,000



SC-13 (마운틴 의자)
금액 : ₩45,000 (Rd,Bk)



SC-14 (큐브 스툴)
금액 : ₩30,000



SC-15 (KT 의자)
금액 : ₩30,000



SC-16 (파크 의자)
금액 : ₩40,000 (Rd,Gr)



SC-17 (로비 의자)
금액 : ₩50,000



SC-18 (장 의자)
금액 : ₩60,000



SC-19 (플라스틱 의자)
금액 : ₩7,000



SC-20 (VIP 의자)
금액 : ₩50,000



SC-21 (소파 1인용)
금액 : ₩80,000



SC-22 (소파 2인용)
금액 : ₩140,000



ST-02 (스탠드 테이블)
금액 : ₩50,000



ST-03 (원형 테이블)
금액 : ₩40,000



ST-04 (알루미늄 테이블)
금액 : ₩40,000



ST-05 (비전 테이블)
금액 : ₩45,000



ST-06 (글라스 사각테이블)
금액 : ₩50,000



ST-07 (사각 테이블)
금액 : ₩40,000



ST-08 (포밍 사각 테이블)
금액:
₩30,000(1000*700*H730)
₩40,000(1500*700*H730)



ST-09 (이벤트 테이블)
금액:
₩35,000(1500*450*H730)
₩40,000(1800*450*H730)



ST-10 (듀라 테이블)
금액:
₩30,000(1500*700*H730)
₩40,000(1800*700*H730)



ST-11 (카페 테이블)
금액 : ₩50,000



ST-12 (협탁)
금액 : ₩40,000



ST-13 (에어 테이블)
금액 : ₩50,000





ST-14 (티 테이블)
금액 : ₩30,000



ST-15 (사이드 테이블)
금액 : ₩40,000



ST-16 (디자인 회의 테이블)
금액 : ₩120,000

				
<p>ST-17 (티 테이블(유리)) 금액 : ₩50,000</p>	<p>ST-18 (소파 테이블(1인용)) 금액 : ₩50,000</p>			



SD-01 (1단진열대)

금액 :

₩35,000(1000*600*H750)
₩50,000(1500*600*H750)
₩70,000(2000*600*H750)

SD-02 (2단진열대)

금액 :

₩45,000(1000*600*H1000)
₩70,000(1500*600*H1000)
₩90,000(2000*600*H1000)

SD-03 (3단 진열대)

금액 : ₩70,000

SD-04 (올림픽 진열대)

금액 : ₩80,000

SD-05 (진열대)

금액 :

₩25,000(560*560*H500)
₩30,000(560*560*H750)
₩40,000(560*560*H1000)



SD-06 (TV 진열대)

금액 : ₩50,000

SD-07 (큐브 진열대)

Set 금액 : ₩80,000

SD-08 (선반)

개당 금액 : ₩30,000

SD-09 (1단 쇼케이스)

금액 : ₩70,000

SD-10 (3단 쇼케이스)

금액 : ₩80,000



SD-11 (쇼케이스)

<900*450*2000>
금액 : ₩180,000

SD-12 (쇼케이스)

<500*500*2000>
금액 : ₩150,000

SD-13 (아크릴 반구 진열대)








금액 : ₩60,000(A형, H750)
₩70,000(B형, H1000)

SD-14 (타공 반구 진열대)

금액 : ₩70,000(A형, H750)
₩80,000(B형, H1000)

SD-15 (타공 안내대)

금액 : ₩100,000

				
<p>SD-16 (서류함) 금액 : ₩40,000</p>	<p>SD-17 (타공 진열대) 〈A형:H750, B형:H1000〉 개당 금액 : ₩50,000</p>	<p>SD-18 (타공 유리 진열대) 〈A형:H750, B형:H1000〉 개당 금액 : ₩50,000</p>	<p>SD-19 (매대) 금액 : ₩50,000</p>	<p>SD-20 (보관함) 금액 : ₩50,000</p>
				
<p>SD-21 (보석 진열대) 금액 : ₩100,000(W960) ₩180,000(W1200)</p>	<p>SD-22 (다중 선반) 금액 : ₩50,000</p>			



SB-01 (고급 카다로그 꽃이)
금액 : ₩40,000



SB-02 (일반 카다로그 꽃이)
금액 : ₩25,000



SB-03 (리플렛 거치대)
금액 : ₩30,000



<배너는 직접 준비 해오셔야 합니다>

SB-04 (배너걸이)
금액 : ₩20,000




<위 사진의 차단봉은 2개 연결>

SB-05 (벨트식 차단봉)
개당 금액 : ₩20,000



<위 사진의 차단봉은 2개입니다>

SB-06 (고정형 차단봉)
개당 금액 : ₩20,000



<위 사진의 차단봉은 2개입니다>

SB-07 (미니 차단봉)
개당 금액 : ₩15,000



SB-08 (명함볼)
금액 : ₩15,000



SB-09 (행운함)
금액 : ₩30,000



SB-10 (POP스탠드)
금액 : ₩25,000



<A4 제원판은
폼보드 부착하여
사용>

SB-11 (제원판)
금액 : ₩25,000 (폼보드부착형)
₩50,000 (A3)



SB-12 (보면대)
금액 : ₩40,000



<펜, 지우개 별도>

SB-13 (화이트보드)
금액 : ₩50,000



<연결은 별도로 요청하셔야 합니다>

SB-14 (싱크대)
금액 : ₩80,000



SB-15 (행거)
금액 : ₩20,000



SB-16 (옷걸이)
금액 : ₩20,000



<진열을 위한 S자 고리는 별도 준비>


SB-17 (철망)
금액 : ₩20,000



SB-18 (이젤)
금액 : ₩20,000



SB-19 (휴지통 30L)
금액 : ₩7,000



SB-20 (아크릴가림막)
금액 : ₩15,000



SB-21 (아크릴 1인 사회대)
금액 : ₩150,000



SB-22 (테이블보) (4 Colors)
개당 금액 : ₩15,000



SB-23 (전신 거울)
금액 : ₩25,000



SE-17 (스크린)

80':1800*1400,
120':2100*1600

금액 : ₩60,000/₩80,000

SE-18 (선풍기)

금액 : ₩30,000

SE-19 (무전기)

개당 금액 : ₩25,000

SE-20 (청소기)

금액 : ₩50,000

SE-21 (보온 물통)

금액 : ₩50,000



SE-22 (메가폰)

금액 : ₩10,000

SE-23 (전자레인지)

금액 : ₩50,000



SS-01
(점의자+원형테이블)
금액 : ₩60,000



SS-02(A)
(PB의자+원형테이블)
금액 : ₩70,000



SS-02(B)
(PB의자+사각테이블)
금액 : ₩70,000



SS-02(C)
(PB의자+비전테이블)
금액 : ₩80,000



SS-02(D)
(PB의자+사각글라스테이블)
금액 : ₩80,000



SS-03(A)
(클래식의자+원형테이블)
금액 : ₩80,000



SS-03(B)
(클래식의자+사각테이블)
금액 : ₩80,000



SS-03(C)
(클래식의자+비전테이블)
금액 : ₩90,000



SS-03(D)
(클래식의자+사각글라스테이블)
금액 : ₩90,000



SS-04(A)
(땅콩의자+원형테이블)
금액 : ₩80,000



SS-04(B)
(땅콩의자+사각테이블)
금액 : ₩80,000



SS-04(C)
(땅콩의자+비전테이블)
금액 : ₩90,000



SS-04(D)
(땅콩의자+사각글라스테이블)
금액 : ₩90,000



SS-05(A) <BK.IV>
(파워의자+원형테이블)
금액 : ₩100,000



SS-05(B) <BK.IV>
(파워의자+사각테이블)
금액 : ₩100,000



SS-05(C) <BK.IV>
(파워의자+비전테이블)
금액 : ₩120,000

SS-05(D) <BK.IV>
(파워의자+사각글라스테이블)
금액 : ₩120,000

SS-06(A)
(알루미늄의자+알루미늄테이블)
금액 : ₩100,000

SS-06(B)
(알루미늄의자+사각테이블)
금액 : ₩90,000

SS-06(C)
(알루미늄의자+비전테이블)
금액 : ₩100,000



SS-06(D)
(알루미늄의자+사각글라스테이블)
금액 : ₩100,000

SS-07(A)
(시스카의자+비전테이블)
금액 : ₩100,000

SS-07(B)
(시스카의자+사각글라스테이블)
금액 : ₩100,000

SS-08
(클래식시스카의자+사각글라스테이블)
금액 : ₩80,000

SS-09(A)
(에펠의자+비전테이블)
금액 : ₩120,000



SS-09(B)
(에펠의자+사각글라스테이블)
금액 : ₩120,000

SS-10(A)
(에어바스툴+에어테이블)
금액 : ₩80,000

SS-10(B)
(에어바스툴+바테이블)
금액 : ₩70,000

SS-11(A) <BK.WH>
(사각스툴+에어테이블)
금액 : ₩90,000

SS-11(B) <BK.WH>
(사각스툴+바테이블)
금액 : ₩80,000



SS-12
(바스툴+바테이블)
금액 : ₩70,000



SS-13(A) <BK,RD>
(마운틴의자+에어테이블)
금액 : ₩80,000



SS-13(B) <BK,RD>
(마운틴의자+비전테이블)
금액 : ₩80,000












SS-14
(KT의자+에어테이블)
금액 : ₩80,000



SS-15
(파크의자+비전테이블)
금액 : ₩120,000



SS-16
(파라솔의자+테이블)
금액 : ₩80,000





B형
(고정형)



A형
(유동형)

TV 설치 예시
(TV주문시 거치대 포함, 모니터는 거치대 포함X)

선반 설치 예시
(선반 주문 후 원하는 높이와 위치가 기재된 설치 레이아웃 전달)



철망 설치 예시
(철망 설치를 위한 S자고리 제공, 진열을 위한 S자 고리 별도 준비)



EAL-1000
(냉동, 냉장 평대)

온도 : $-20^{\circ}\text{C} \sim 5^{\circ}\text{C}$
소비전력 : 1.2(KW)
규격 : W1000*D1048*H940

금액 : ₩350,000



ECBS-1200 사각
(제과제빵 쇼케이스)

온도 : $4^{\circ}\text{C} \sim 10^{\circ}\text{C}$
소비전력 : 1(KW)
규격 : W1200*D650*H1200

금액 : ₩350,000



EAL-1370
(냉동, 냉장 평대)

온도 : $-20^{\circ}\text{C} \sim 5^{\circ}\text{C}$
소비전력 : 2(KW)
규격 : W1370*D1048*H940

금액 : ₩400,000



ECBS-1500 사각
(제과제빵 쇼케이스)

온도 : $4^{\circ}\text{C} \sim 10^{\circ}\text{C}$
소비전력 : 1(KW)
규격 : W1500*D650*H1200

금액 : ₩400,000



EAL-2000
(냉동, 냉장 평대)

온도 : $-20^{\circ}\text{C} \sim 5^{\circ}\text{C}$
소비전력 : 2(KW)
규격 : W1970*D1048*H940

금액 : ₩450,000



ECBS-1800 사각
(제과제빵 쇼케이스)

온도 : $4^{\circ}\text{C} \sim 10^{\circ}\text{C}$
소비전력 : 1(KW)
규격 : W1800*D650*H1200

금액 : ₩450,000



ECBS-1200 사각선반2
(제과제빵 쇼케이스)

온도 : 4°C~10°C
소비전력 : 1(KW)
규격 : W1200*D650*H1200

금액 : ₩350,000



ECBS-1200 곡면
(제과제빵 쇼케이스)

온도 : 4°C~10°C
소비전력 : 1(KW)
규격 : W1200*D640*H1200

금액 : ₩350,000



ECBS-1500 사각선반2
(제과제빵 쇼케이스)

온도 : 4°C~10°C
소비전력 : 1(KW)
규격 : W1500*D650*H1200

금액 : ₩400,000



ECBS-1500 오픈선반2
(제과제빵 쇼케이스)

온도 : 4°C~10°C
소비전력 : 1(KW)
규격 : W1500*D650*H1200

금액 : ₩450,000



ECBS-1800 사각
(제과제빵 쇼케이스)

온도 : 4°C~10°C
소비전력 : 1(KW)
규격 : W1800*D650*H1200


금액 : ₩450,000



ECBS-1800 오픈선반2
(제과제빵 쇼케이스)

온도 : 4°C~10°C
소비전력 : 1(KW)
규격 : W1800*D650*H1200

금액 : ₩500,000



EAS-2000
(유럽형 대면 쇼케이스)

온도 : $-3^{\circ}\text{C}\sim 2^{\circ}\text{C}$
소비전력 : 1.5(KW)
규격 : W2000*D1120*H1220

금액 : ₩600,000



EWS-2000
(유럽형 대면 쇼케이스)

온도 : $-3^{\circ}\text{C}\sim 2^{\circ}\text{C}$
소비전력 : 1.5(KW)
규격 : W1955*D1030*H1280

금액 : ₩600,000



EGS-2000
(유럽형 대면 쇼케이스)

온도 : $-3^{\circ}\text{C}\sim 2^{\circ}\text{C}$
소비전력 : 1.5(KW)
규격 : W1960*D1100*H1310

금액 : ₩600,000



EGS-2000(2단)
(유럽형 대면 쇼케이스)

온도 : $-3^{\circ}\text{C}\sim 2^{\circ}\text{C}$
소비전력 : 1.5(KW)
규격 : W1800*D1343*H1334

금액 : ₩600,000



EASS-1350
(유럽형 대면 쇼케이스)

온도 : $-3^{\circ}\text{C}\sim 2^{\circ}\text{C}$
소비전력 : 2(KW)
규격 : W1350*D1100*H863


금액 : ₩500,000



EAHS-1350
(온장고 쇼케이스)

온도 : 4°C
소비전력 : 1(KW)
규격 : W1335*D1160*H1220

금액 : ₩450,000



ECAS-1000
(유럽형 대면 쇼케이스)

온도 : $-3^{\circ}\text{C} \sim 2^{\circ}\text{C}$
 소비전력 : 1.5(KW)
 규격 : W1020*D1160*H1220

금액 : ₩450,000



VF-1
(수직 냉동고)

온도 : $-20^{\circ}\text{C} \sim 2^{\circ}\text{C}$
 소비전력 : 1.5(KW)
 규격 : W660*D663*H2110

금액 : ₩400,000



ELS-1000
(유럽형 대면 쇼케이스)

온도 : $-3^{\circ}\text{C} \sim 2^{\circ}\text{C}$
 소비전력 : 1.5(KW)
 규격 : W1040*D1130*H1280

금액 : ₩450,000



VF-2
(수직 냉장고)

온도 : $4^{\circ}\text{C} \sim 8^{\circ}\text{C}$
 소비전력 : 0.5(KW)
 규격 : W650*D590*H1910

금액 : ₩250,000



EAS-1350
(유럽형 대면 쇼케이스)

온도 : $-3^{\circ}\text{C} \sim 2^{\circ}\text{C}$
 소비전력 : 1.5(KW)
 규격 : W1350*D1177*H1250

금액 : ₩500,000



MF-2
(미니 음료 냉장고)

온도 : $0^{\circ}\text{C} \sim 10^{\circ}\text{C}$
 소비전력 : 0.5(KW)
 규격 : W435*D499*H510

금액 : ₩200,000



VF-3(2 Door)
(음료냉장고 2DOOR)

온도 : $-3^{\circ}\text{C}\sim 8^{\circ}\text{C}$
소비전력 : 1.5(KW)
규격 : W1055*D760*H2060

금액 : ₩400,000



Commercial Freezer(2 Door)
(업소용 냉장고)

온도 : $-20^{\circ}\text{C}\sim 8^{\circ}\text{C}$
소비전력 : 1(KW)
규격 : W740*D800*H1900

금액 : ₩350,000



EAMD-1000
(냉장 다단 쇼케이스)

온도 : $5^{\circ}\text{C}\sim 8^{\circ}\text{C}$
소비전력 : 1.5(KW)
규격 : W1000*D655*H2000

금액 : ₩400,000



Commercial Freezer(4 Door)
(업소용 냉장고)

온도 : $-20^{\circ}\text{C}\sim 8^{\circ}\text{C}$
소비전력 : 1(KW)
규격 : W1260*D800*H1900

금액 : ₩400,000



EAMD-1300
(냉장 다단 쇼케이스)

온도 : $5^{\circ}\text{C}\sim 8^{\circ}\text{C}$
소비전력 : 1.5(KW)
규격 : W1305*D655*H2000

금액 : ₩450,000



EST-900
(냉동스토커-평면형)

온도 : $-20^{\circ}\text{C} \sim 5^{\circ}\text{C}$
 소비전력 : 1(KW)
 규격 : W900*D610*H870

금액 : ₩300,000



EST-1800
(냉동스토커-곡면형)

온도 : $-20^{\circ}\text{C} \sim 5^{\circ}\text{C}$
 소비전력 : 1.5(KW)
 규격 : W1865*D815*H770

금액 : ₩400,000



EST-1200
(냉동스토커-평면형)

온도 : $-20^{\circ}\text{C} \sim 5^{\circ}\text{C}$
 소비전력 : 1(KW)
 규격 : W1200*D610*H870

금액 : ₩350,000



EST-2100
(냉동스토커-곡면형)

온도 : $-20^{\circ}\text{C} \sim 5^{\circ}\text{C}$
 소비전력 : 1.5(KW)
 규격 : W2115*D876*H837

금액 : ₩450,000



EST-1600
(냉동스토커-평면형)

온도 : $-20^{\circ}\text{C} \sim 5^{\circ}\text{C}$
 소비전력 : 1.5(KW)
 규격 : W1600*D700*H830

금액 : ₩400,000



Gelato Showcase
(젤라토 쇼케이스)

온도 : $-20^{\circ}\text{C} \sim 18^{\circ}\text{C}$
 소비전력 : 1(KW)
 규격 : W1204*D694*H1250

금액 : ₩400,000



Workbench freezer-1200
(테이블 냉동고)

온도 : $-20^{\circ}\text{C}\sim 5^{\circ}\text{C}$
소비전력 : 1.5(KW)
규격 : W1200*D700*H830

금액 : ₩300,000



Workbench freezer-1500
(테이블 냉동고)

온도 : $-20^{\circ}\text{C}\sim 5^{\circ}\text{C}$
소비전력 : 1.5(KW)
규격 : W1500*D700*H830

금액 : ₩350,000



Workbench freezer-1800
(테이블 냉동고)

온도 : $-20^{\circ}\text{C}\sim 5^{\circ}\text{C}$
소비전력 : 2(KW)
규격 : W1800*D700*H830

금액 : ₩400,000